

TOROIDAL CORES

COLOR CODE

- 2 Red/Clear
- 8 Yellow/Red
- 14 Black/Red
- 18 Green/Red
- 19 Red/Green
- 26 Yellow/White
- 30 Green/Gray
- 34 Gray/Blue
- 35 Yellow/Gray
- 40 Green/Yellow
- 45 Black/Black
- 52 Green/Blue

Refer to page 4 for tolerances.

TYPICAL PART NO.

T 106-26 /

OD in 100th inches
 Micrometals Mix No.
 Letter Indicates Alternate Height
 Code Area For Other Characteristics

Note: For information on Mix 0, 1, 3, 4, 6, 7, 10, 12, 15, 17, and 42 see Micrometals RF Catalog.

For information on -60 and -70 see Micrometals 200C Series Catalog.

MICROMETALS Part No.	A _i nH/N ²	MAGNETIC DIMENSIONS					
		OD in/mm	ID in/mm	Ht in/mm	ℓ cm	A cm ²	V cm ³
T50-8B/90*	23.0	.500/12.7	.303/7.70	.250/6.35	3.19	.148	.471
T50-18B	32.0						
T50-19B	32.0						
T50-26B	43.5						
T50-40B	38.5						
T50-45B	58.0						
T50-52B	43.5						
T50-8C/90	28.3	.500/12.7	.303/7.70	.335/8.51	3.19	.200	.637
T50-26C	61.0						
T50-26D	72.0	.500/12.7	.303/7.70	.375/9.53	3.19	.223	.711
T50-40D	59.0						
T50-52D	66.0						
T51-8C/90	37.0	.500/12.7	.200/5.08	.250/6.35	2.79	.223	.622
T51-18C	55.0						
T51-26C	83.0						
T51-40C	67.0						
T51-52C	75.0						
T57-45	67.0	.573/14.6	.273/6.93	.196/4.98	3.38	.178	.601
T57-52	49.5						
T57-45A	88.0	.573/14.6	.273/6.93	.263/6.68	3.38	.239	.805
T57-52A	66.0						
T60-2	6.5	.600/15.2	.336/8.53	.234/5.94	3.74	.187	.699
T60-8/90	19.0						
T60-14	8.3						
T60-18	34.5						
T60-19	34.5						
T60-26	50.0						
T60-40	41.5						
T60-52	47.0						
T60-26D	97.0	.600/15.2	.336/8.53	.470/11.9	3.74	.374	1.400
T60-52D	94.0						
T68-2	5.7	.690/17.5	.370/9.40	.190/4.83	4.23	.179	.759
T68-8/90	19.5						
T68-14	7.0						
T68-18	29.0						
T68-19	29.0						
T68-26	43.5						
T68-40	35.0						
T68-45	53.0						
T68-52	40.0						

* Non-standard dimensional tolerance, refer to page 4 for details.